Items shown in Red Text are to be deleted Items shown in Green Text are to be added

Page 64

d) Every protest must be in writing on the KA Notice of Protest Form addressed to the Stewards of the Meeting and accompanied by the Protest fee of \$100 plus GST

Page 122 Seats

- vi) Must have a plate placed between the seat and the frame mounting points.
- 1) The plate must:
 - a. be steel or aluminium

Page 125

- (iv) Nassau Panel
- 7) Must be attached and securely fastened with either bolts or a split pin.

Page 128

- i) Electrical
 - (ii) Starter and Ignition Batteries
 - 2) Must be one of the following types
 - a. Dry Cell
 - b. Gel
 - c. Valve regulated sealed lead acid
 - d. Lithium ion

Page 131

- (iii) Dash Displays and Data Logging Equipment
 - 1) Unless specifically allowed restricted by an individual Class Definition, Electronic Dash Displays are not permitted.
 - 2) Unless specifically allowed restricted by an individual Class Definition, Electronic Data Logging equipment is not permitted.

Page 145

5 Seals

a) Only seals supplied by KA are permitted to be used. Other seals may be fitted but will have no regulatory value.

Page 146

- 7 b) Test Equipment
- (iii) CC Test Gauges
 - 1) Type 1
 - b. Applies to all....
 - 6. IAME KA 100
 - 7. Vortex Mini Rok

Page 150

- d) Test Procedure
- (ii) Engine Tachometer Clutch Test without Bar

Page 164

8 General

b) (i) No Class specific conditions Temperature sensors are not permitted

8 General

b) (i) No Class specific conditions Temperature sensors are not permitted

Page 175

8 a) Weight

(ii) Maximum weight of a Kart excluding the Driver for each the National Heavy and the Masters division:

Page 176

2 Age

a) Junior

(i) 12 13-16 Years

Page 178

8 a) Weight

(ii) Maximum weight of a Kart excluding the Driver for Senior Clubman Heavy and Senior Clubman Super Heavy and Clubman Masters division:

Page 179

2 Age

a) 12 13-16 Years

Page 182

2 Age

a) 12 13-16 Years

Page 187

2 Age

b) 12 13-16 Years

Page 197

7 b) Wet

(i) MG WZ (White)

1)Front Tyre Size must be

a. 10x4.20-5

2) Rear Tyre size must be

a. 11 x 6.00-5

(ii) (i) Dunlop

Page 197

8 a) Weight

(ii) Maximum weight of a Kart excluding the Driver for the Heavy and Masters division: 100kg

Page 199

7 Tyres

d) Must be fitted with bead retention

Page 200

8 a) Weight

(iii) Maximum weight of a Kart excluding the Driver for the Heavy and Masters division: 100kg

Page 211

6 Drivetrain

e) Ignition

(i) Must be an analogue type which is CIK-FIA Homologated In accordance with the Homologation

Page 216

- 6 Drivetrain
- d) Exhaust
- (ii) Restrictor Plate
 - 1) N/A In accordance with the relevant engine Homologation